



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:15 PM UTC

PDB ID : 2O7Q / pdb\_00002o7q  
Title : Crystal Structure of the A. thaliana DHQ-dehydroshikimate-SDH-shikimate-NADP(H)  
Authors : Christendat, D.; Singh, S.A.  
Deposited on : 2006-12-11  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	523	<div> <div>6%</div> <div>71%</div> <div>23%</div> <div>• •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	DHK	A	4733	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	DHK	A	9241	X	-	-	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4066 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional 3-dehydroquinase dehydratase/shikimate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	501	Total	C	N	O	S	0	0	0
			3864	2456	646	745	17			

There are 11 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	391	CSO	CYS	modified residue	UNP Q9SQT8
A	424	CSO	CYS	modified residue	UNP Q9SQT8
A	604	GLY	-	expression tag	UNP Q9SQT8
A	605	SER	-	expression tag	UNP Q9SQT8
A	606	ARG	-	expression tag	UNP Q9SQT8
A	607	GLU	-	expression tag	UNP Q9SQT8
A	608	ASN	-	expression tag	UNP Q9SQT8
A	609	LEU	-	expression tag	UNP Q9SQT8
A	610	TYR	-	expression tag	UNP Q9SQT8
A	611	PHE	-	expression tag	UNP Q9SQT8
A	612	GLN	-	expression tag	UNP Q9SQT8

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 3-DEHYDROSHIKIMATE (CCD ID: DHK) (formula:  $C_7H_{10}O_5$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	7	4		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	7	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	164	Total	O	0	0
			164	164		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional 3-dehydroquinate dehydratase/shikimate dehydrogenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	96.61Å 96.61Å 115.94Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.20 30.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-2.20) 91.8 (30.00-2.20)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.59 (at 1.77Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.259 , 0.214 0.218 , 0.260	Depositor DCC
$R_{free}$ test set	1501 reflections (2.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	31.8	Xtriage
Anisotropy	0.182	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 41.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.032 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4066	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.14% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DHK, SO4, CSO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.40	0/3916	0.91	10/5291 (0.2%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	376	ALA	N-CA-C	7.02	121.08	112.23
1	A	341	VAL	N-CA-C	6.08	116.25	110.53
1	A	247	VAL	N-CA-C	-6.05	103.82	112.35
1	A	285	PHE	N-CA-C	5.95	119.85	112.59
1	A	588	GLY	N-CA-C	-5.68	107.41	115.30
1	A	456	VAL	N-CA-C	5.57	115.89	107.75
1	A	91	LYS	N-CA-C	5.51	118.28	109.02
1	A	212	SER	N-CA-C	5.33	118.40	110.14
1	A	155	ARG	N-CA-C	5.30	117.12	109.48
1	A	185	ILE	N-CA-C	-5.08	100.58	108.81

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3864	0	3889	110	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	15	0	0	0	0
3	A	23	0	15	3	0
4	A	164	0	0	3	0
All	All	4066	0	3904	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:91:LYS:HA	1:A:91:LYS:HE2	1.50	0.92
1:A:473:LYS:HD3	1:A:496:ILE:HB	1.60	0.83
1:A:545:VAL:HG11	1:A:561:ALA:CB	2.14	0.78
1:A:103:ASP:HB2	1:A:131:LYS:HG2	1.66	0.77
1:A:545:VAL:HG11	1:A:561:ALA:HB1	1.66	0.77
1:A:175:ARG:O	1:A:179:GLU:HG2	1.88	0.74
1:A:416:LYS:NZ	1:A:416:LYS:HB3	2.02	0.73
1:A:456:VAL:HG22	1:A:516:VAL:CG1	2.20	0.72
1:A:456:VAL:HB	1:A:479:VAL:HG12	1.75	0.69
1:A:363:LEU:HD12	1:A:391:CSO:SG	2.33	0.68
1:A:456:VAL:HG22	1:A:516:VAL:HG11	1.77	0.67
1:A:559:ARG:O	1:A:563:GLU:HG3	1.97	0.65
1:A:411:ARG:NH2	1:A:416:LYS:HD2	2.14	0.61
1:A:414:ASP:OD1	1:A:416:LYS:HG2	2.02	0.60
1:A:553:ARG:HD2	4:A:9328:HOH:O	2.01	0.60
1:A:301:ALA:HB3	3:A:9241:DHK:O2	2.05	0.56
1:A:414:ASP:CG	1:A:416:LYS:HE2	2.30	0.56
1:A:185:ILE:HD12	1:A:185:ILE:C	2.31	0.56
1:A:193:SER:O	1:A:197:LYS:HG3	2.06	0.56
1:A:416:LYS:HB3	1:A:416:LYS:HZ3	1.69	0.56
1:A:484:ARG:HG3	1:A:485:THR:H	1.71	0.56
1:A:91:LYS:HE2	1:A:91:LYS:CA	2.32	0.56
1:A:406:ASN:HD21	1:A:422:THR:H	1.53	0.56
1:A:455:THR:HG23	1:A:515:MET:HA	1.88	0.56
1:A:455:THR:HG21	1:A:515:MET:HG2	1.88	0.55
1:A:462:GLY:HA2	1:A:488:ARG:NH2	2.22	0.55
1:A:606:ARG:HH11	1:A:606:ARG:HG3	1.73	0.54
1:A:483:ASN:HB3	1:A:489:ALA:HB2	1.89	0.54
1:A:188:GLU:CD	1:A:188:GLU:H	2.16	0.53
1:A:289:LEU:C	1:A:289:LEU:HD12	2.33	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:466:LYS:HG2	1:A:492:LEU:HD13	1.89	0.53
1:A:509:TYR:HB3	1:A:515:MET:HE1	1.89	0.53
1:A:553:ARG:HH12	1:A:554:ILE:HD11	1.74	0.53
1:A:206:LYS:O	1:A:206:LYS:HG3	2.08	0.53
1:A:389:LEU:HD12	1:A:395:VAL:HG21	1.91	0.52
1:A:479:VAL:HG21	1:A:496:ILE:HD12	1.91	0.52
1:A:545:VAL:CG1	1:A:568:THR:HG22	2.39	0.52
1:A:246:ALA:HB2	1:A:270:VAL:CG1	2.40	0.52
1:A:91:LYS:HA	1:A:91:LYS:CE	2.33	0.52
1:A:101:MET:HE1	1:A:298:LYS:C	2.35	0.52
1:A:105:ILE:CD1	1:A:142:ILE:HG13	2.39	0.52
1:A:414:ASP:OD2	1:A:416:LYS:HE2	2.11	0.51
1:A:128:ASP:O	1:A:162:GLN:HB2	2.10	0.51
1:A:363:LEU:C	1:A:363:LEU:HD13	2.36	0.51
1:A:246:ALA:HB2	1:A:270:VAL:HG12	1.93	0.51
1:A:578:GLN:O	1:A:582:GLN:HG3	2.11	0.51
1:A:339:PRO:HG2	1:A:357:HIS:CE1	2.46	0.51
1:A:411:ARG:O	1:A:415:GLY:HA2	2.11	0.51
1:A:470:TYR:O	1:A:473:LYS:HG2	2.11	0.51
1:A:254:ARG:O	1:A:258:ILE:HG12	2.10	0.50
1:A:469:ALA:HB1	1:A:496:ILE:HD13	1.93	0.50
1:A:252:VAL:HG13	1:A:278:SER:HB3	1.94	0.49
1:A:544:LEU:CB	1:A:567:ILE:HG23	2.43	0.49
1:A:105:ILE:HD11	1:A:142:ILE:HG13	1.94	0.49
1:A:291:PHE:CE1	3:A:9241:DHK:H6C1	2.47	0.49
1:A:211:VAL:CG2	1:A:237:ALA:HB2	2.43	0.49
1:A:363:LEU:HD13	1:A:363:LEU:O	2.13	0.49
1:A:606:ARG:HG3	1:A:606:ARG:NH1	2.29	0.48
1:A:558:LEU:HD22	1:A:568:THR:HB	1.94	0.48
1:A:556:ARG:HG3	1:A:559:ARG:NH2	2.28	0.48
1:A:470:TYR:O	1:A:474:GLU:HG2	2.14	0.47
1:A:394:GLU:HB2	1:A:418:LEU:CD2	2.45	0.47
1:A:473:LYS:HD3	1:A:496:ILE:CB	2.39	0.46
1:A:484:ARG:HG3	1:A:485:THR:N	2.30	0.46
1:A:544:LEU:C	1:A:544:LEU:HD23	2.41	0.46
1:A:567:ILE:HD12	1:A:568:THR:H	1.79	0.46
1:A:455:THR:O	1:A:516:VAL:HG12	2.15	0.46
1:A:406:ASN:ND2	1:A:421:ASN:HA	2.31	0.45
1:A:481:ILE:HG21	1:A:492:LEU:HD23	1.97	0.45
1:A:149:PRO:HA	1:A:183:ASP:OD2	2.16	0.45
1:A:458:VAL:HB	1:A:481:ILE:HD13	1.97	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:553:ARG:NH1	1:A:554:ILE:HD11	2.31	0.45
1:A:114:LYS:HA	1:A:114:LYS:HD2	1.73	0.45
1:A:166:ASP:OD2	1:A:169:GLU:HG3	2.16	0.45
1:A:218:ASN:HB2	4:A:9307:HOH:O	2.16	0.44
1:A:512:GLU:HA	1:A:512:GLU:OE1	2.16	0.44
1:A:411:ARG:HH21	1:A:416:LYS:HD2	1.79	0.44
1:A:473:LYS:C	1:A:475:LYS:H	2.25	0.44
1:A:140:LYS:HD3	1:A:180:LEU:HD22	1.99	0.44
1:A:468:LEU:O	1:A:468:LEU:HD23	2.18	0.44
1:A:398:LEU:O	1:A:402:ILE:HG13	2.18	0.44
1:A:344:GLN:HB2	1:A:599:ILE:HD13	1.99	0.43
1:A:469:ALA:HB1	1:A:496:ILE:CD1	2.48	0.43
1:A:543:ALA:O	1:A:567:ILE:HG22	2.19	0.43
1:A:373:SER:HA	1:A:410:ARG:CZ	2.49	0.43
1:A:416:LYS:HB3	1:A:416:LYS:HZ2	1.80	0.43
1:A:341:VAL:HG23	1:A:342:HIS:N	2.33	0.43
1:A:544:LEU:HA	1:A:567:ILE:HG23	2.00	0.43
1:A:91:LYS:HB3	1:A:92:ASN:H	1.56	0.43
1:A:151:LEU:HD13	1:A:184:TYR:HB2	2.01	0.42
1:A:101:MET:O	1:A:102:ALA:C	2.60	0.42
1:A:186:ASP:OD1	1:A:186:ASP:C	2.62	0.42
1:A:344:GLN:HG3	1:A:599:ILE:HG23	2.01	0.42
1:A:545:VAL:O	1:A:545:VAL:HG13	2.20	0.42
1:A:393:ASP:OD2	1:A:416:LYS:HB2	2.19	0.42
1:A:606:ARG:HB2	1:A:609:LEU:HD11	2.02	0.42
1:A:291:PHE:CZ	3:A:9241:DHK:H4	2.54	0.42
1:A:171:ARG:HH21	1:A:191:VAL:CG1	2.33	0.42
1:A:308:LYS:HE2	4:A:9289:HOH:O	2.19	0.42
1:A:567:ILE:HD12	1:A:568:THR:N	2.34	0.42
1:A:154:TYR:CD1	1:A:170:ARG:HG3	2.55	0.41
1:A:133:PHE:O	1:A:135:PRO:HD3	2.21	0.41
1:A:380:CYS:HB2	1:A:406:ASN:HA	2.01	0.41
1:A:480:VAL:HG21	1:A:509:TYR:OH	2.21	0.41
1:A:406:ASN:ND2	1:A:422:THR:H	2.18	0.41
1:A:423:ASP:OD1	1:A:574:MET:HE1	2.21	0.41
1:A:394:GLU:HB2	1:A:418:LEU:HD22	2.03	0.41
1:A:558:LEU:HD11	1:A:570:SER:HA	2.03	0.41
1:A:122:LEU:N	1:A:122:LEU:HD23	2.36	0.40
1:A:406:ASN:ND2	1:A:406:ASN:C	2.76	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	491/523 (94%)	471 (96%)	17 (4%)	3 (1%)	21	23

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	413	SER
1	A	296	SER
1	A	135	PRO

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	418/437 (96%)	408 (98%)	10 (2%)	43	58

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	104	SER
1	A	136	LEU
1	A	151	LEU
1	A	176	LEU
1	A	289	LEU
1	A	383	PRO
1	A	406	ASN
1	A	416	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	512	GLU
1	A	567	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	190	GLN
1	A	233	GLN
1	A	263	GLN
1	A	315	ASN
1	A	368	GLN
1	A	406	ASN
1	A	519	ASN
1	A	526	GLN
1	A	612	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	CSO	A	391	1	3,6,7	0.64	0	1,6,8	0.43	0
1	CSO	A	424	1	3,6,7	0.65	0	1,6,8	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	A	391	1	-	0/1/5/7	-
1	CSO	A	424	1	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	391	CSO	1	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	DHK	A	4733	-	12,12,12	5.14	7 (58%)	9,17,17	2.20	3 (33%)
3	DHK	A	9241	1	10,11,12	5.04	5 (50%)	7,15,17	2.88	3 (42%)
2	SO4	A	1403	-	4,4,4	0.38	0	6,6,6	0.10	0
2	SO4	A	1402	-	4,4,4	0.39	0	6,6,6	0.13	0
2	SO4	A	1401	-	4,4,4	0.31	0	6,6,6	0.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DHK	A	4733	-	1/1/5/6	1/4/20/20	0/1/1/1
3	DHK	A	9241	1	3/3/4/6	0/4/17/20	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	4733	DHK	C2-C3	12.63	1.52	1.32
3	A	9241	DHK	C2-C3	12.50	1.51	1.32
3	A	4733	DHK	C1-C2	-8.55	1.34	1.50
3	A	9241	DHK	C6-C5	-7.64	1.34	1.52
3	A	4733	DHK	C4-C3	5.99	1.57	1.50
3	A	4733	DHK	O1-C	3.99	1.33	1.22
3	A	9241	DHK	O1-C	3.97	1.33	1.22
3	A	4733	DHK	C5-C4	3.65	1.56	1.52
3	A	9241	DHK	O2-C	-3.07	1.20	1.30
3	A	4733	DHK	O2-C	-2.79	1.21	1.30
3	A	9241	DHK	O3-C3	2.63	1.45	1.30
3	A	4733	DHK	O3-C3	2.31	1.43	1.30

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	9241	DHK	C5-C6-C1	5.63	120.18	111.53
3	A	4733	DHK	C6-C1-C2	4.50	122.87	107.47
3	A	4733	DHK	O3-C3-C2	-3.81	108.43	121.92
3	A	9241	DHK	C6-C5-C4	3.77	115.67	110.95
3	A	4733	DHK	O2-C-O1	-2.27	118.93	124.08
3	A	9241	DHK	O2-C-O1	-2.11	119.29	124.08

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	9241	DHK	C4
3	A	9241	DHK	C1
3	A	9241	DHK	C5
3	A	4733	DHK	C1

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	4733	DHK	O2-C-C1-C2



There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	9241	DHK	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	499/523 (95%)	0.19	29 (5%)	29 25	24, 39, 76, 94	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	509	TYR	4.9
1	A	477	ALA	4.6
1	A	90	VAL	4.5
1	A	512	GLU	3.7
1	A	455	THR	3.4
1	A	513	ASP	3.1
1	A	500	ALA	2.9
1	A	490	LEU	2.9
1	A	479	VAL	2.9
1	A	496	ILE	2.9
1	A	567	ILE	2.9
1	A	495	ALA	2.5
1	A	486	TYR	2.5
1	A	501	LEU	2.5
1	A	487	GLU	2.4
1	A	516	VAL	2.4
1	A	492	LEU	2.4
1	A	456	VAL	2.3
1	A	506	LEU	2.2
1	A	478	LYS	2.2
1	A	508	ASN	2.2
1	A	482	ALA	2.2
1	A	435	LEU	2.1
1	A	514	GLY	2.1
1	A	542	TYR	2.1
1	A	480	VAL	2.1
1	A	395	VAL	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	497	GLY	2.1
1	A	562	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CSO	A	391	7/8	0.90	0.09	57,58,65,66	0
1	CSO	A	424	7/8	0.94	0.08	42,44,46,51	0

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	A	1403	5/5	0.77	0.17	59,59,62,62	5
3	DHK	A	9241	11/12	0.83	0.15	39,41,52,55	0
2	SO4	A	1402	5/5	0.90	0.10	36,38,43,44	5
3	DHK	A	4733	12/12	0.95	0.07	27,36,45,46	0
2	SO4	A	1401	5/5	0.97	0.16	21,29,30,32	5

## 6.5 Other polymers [i](#)

There are no such residues in this entry.